


steinhauer
LIGHTING



LIGHTING TRENDS 2025




4190ST



4189ST

Fluxy

Article	Electrification	L x W x H	Extra information
4189ST	18W + 9W	120 x 9 x 40-160	2700 Kelvin, 2700 Lumen, CRI90, cracked steel/champagne color, cable-lift, motion dimmers, up- and down light separately stepless dimmable
4190ST	26W + 13W	165 x 9 x 40-160	2700 Kelvin, 4000 Lumen, CRI90, cracked steel/champagne color, cable-lift, motion dimmers, up- and down light separately stepless dimmable





Fluxy

Article	Electrification	L x W x H	Extra information
4189ZW	18W + 9W	120 x 9 x 40-160	2700 Kelvin, 2700 Lumen, CRI90, matt black, cable-lift, motion dimmers, up- and down light separately stepless dimmable
4190ZW	26W + 13W	165 x 9 x 40-160	2700 Kelvin, 4000 Lumen, CRI90, matt black, cable-lift, motion dimmers, up- and down light separately stepless dimmable



Cable-lift



4204ZW

NEW DESIGN

Cable-lift



4205ZW

steinhauer
LIGHTING
exclusive




Mykty

Article	Electrification	L x W x H	Extra information
4204ZW	2 x 25W	95 x 30 x 60-130	2700 Kelvin, 6500 Lumen, CRI90, dimmable driver, matt black, cable-lift
4205ZW	2 x 40W	120 x 35 x 60-130	2700 Kelvin, 10400 Lumen, CRI90, dimmable driver, matt black, cable-lift





4201ZW



Mykty

Article	Electrification	L x W x H	Extra information
4201ZW	2 x 20W	Ø40 x 170	2700 Kelvin, 5200 Lumen, CRI90, floor dimmer, matt black
4203ZW	2 x 30W	Ø60 x 40-130	2700 Kelvin, 7800 Lumen, CRI90, dimmable driver, matt black, cable-lift



3515GO

Soleil

Article	Electrification	L x W x H	Extra information
3515	7W	Ø20 x 55 x 106-144	2200-4000 Kelvin, 900 Lumen, energy class E, CRI90, light color adjustable, memory touch dimmer



2 batteries LI Ion, 3,7V/
8000mAh, 29,6Wh.



Indicator of charge



Floor stand battery
charger



NEWCOLOR



3515GO

POPULAR PRODUCT



3515BR



3515ZW




3515ST



steinhauer
LIGHTING
exclusive

Soleil


Article	Electrification	L x W x H	Extra information
4140	30W + 10W	Ø32 x 60-130	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable-lift



7971GO



1482GO



1482ST

1482BR

1482ZW



Zelena

Article	Electrification	L x W x H	Extra information
1482GO	2 x 4W + 17W	122 x 8 x 82-117	2200-4000 Kelvin, 2500 Lumen, CRI90, push dimmers, up- and down light separately dimmable and light adjustable
7971GO	2 x 4W + 21W	155 x 8 x 82-117	2200-4000 Kelvin, 3700 Lumen, CRI90, push dimmers, up- and down light separately dimmable and light adjustable



4136ZW



4137ZW



Marcadore

Article	Electrification	L x W x H	Extra information
4136ZW	8 x 5W	Ø60 x 90-140	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver
4137ZW	6 x 5W	120 x 10 x 90-140	2700 Kelvin, 3000 Lumen, CRI90, dimmable driver



Ringlux

Article	Electrification	L x W x H	Extra information
4130	2 x 20W	50 x 130-210 x 210-240	2200 - 2600 - 3000 Kelvin, 4000 Lumen, CRI90, floor dimmer






4139ZW



Ringlux

Article	Electrification	L x W x H	Extra information
4138ZW	2 x 5W	30-60 x 25 x 110-140	2700 Kelvin, 1000 Lumen, CRI90, touch dimmer
4139ZW	2 x 5W	25-50 x 20 x 40-75	2700 Kelvin, 1000 Lumen, CRI90, touch dimmer





Luzhaz

Article	Electrification	L x W x H	Extra information
4133ZW	24W	Ø10 x 157	2700 Kelvin, 2400 Lumen, CRI90, motion dimmer



4133ZW





4197ZW



4198ZW



4199ZW

Glimsy

Article	Electrification	L x W x H	Extra information
4197ZW	5 x 6W	115 x 22 x 30-170	2700 Kelvin, 2900 Lumen, CRI90, dimmable driver
4198ZW	5 x 6W	Ø40 x 50-380	2700 Kelvin, 2900 Lumen, CRI90, dimmable driver
4199ZW	6W	Ø22 x 50-170	2700 Kelvin, 580 Lumen, CRI90, dimmable driver
4200ZW	6W	Ø14,5 x 50-170	2700 Kelvin, 580 Lumen, CRI90, dimmable driver



4200ZW

Ø 14,5 cm



4199ZW

Ø 22 cm



Bollique


Article	Electrification	L x W x H	Extra information
4195ZW	12 x 6W	Ø50 x 60-350	2700 Kelvin, 7200 Lumen, CRI90, dimmable driver, dimmable light source
4196ZW	5 x 6W	Ø60 x 60-350	2700 Kelvin, 3000 Lumen, CRI90, dimmable driver, dimmable light source



4186ZW



4186ME



2730ZW

2730ME


POPULAR PRODUCT

steinhauer
LIGHTING



Bollique

Article	Electrification	L x W x H
4186	E27	Ø40 x 50-180



4126ZW



Pentino

Article	Electrification	L x W x H	Extra information
4125ZW	GU10	16 x 68 x 34	cord switch, excluding light source
4126ZW	GU10	36 x 17 x 133	cord switch, excluding light source



4125ZW



Halo Cirque

Article	Electrification	L x W x H
4217	E27	Ø50 x 40-160



Muro

Article	Electrification	L x W x H	Extra information
3365E	3W G9	13 x 7,5 x 9	2700 Kelvin, 300 Lumen, dimmable light source
3367E	3W G9	13,5 x 12,5 x 13	2700 Kelvin, 300 Lumen, dimmable light source
3368E	2 x 3W G9	20 x 12,5 x 13	2700 Kelvin, 2 x 300 Lumen, dimmable light source



3365ZW

3367ZW

3368ZW

POPULAR PRODUCT



4132ZW



4131ZW



4132W



4131W



4127ZW

Ceiling and Wall

Article	Electrification	L x W x H	Extra information
4127ZW	12W	Ø40 x 9	2700 Kelvin, 1150 Lumen, 4-steps dimmable
4131	15W	Ø20 x 2,5	2700 - 3000 - 3500 Kelvin, 1500 Lumen, CRI90, 4-steps dimmable, IP44
4132	18W	Ø29 x 2,5	2700 - 3000 - 3500 Kelvin, 1800 Lumen, CRI90, 4-steps dimmable, IP44



4134ZW



Ringlux

Article	Electrification	L x W x H	Extra information
4134ZW	20W + 5W	Ø30 x 5,6	2700 Kelvin, 2500 Lumen, CRI90, dimmable driver, up and down light
4135ZW	30W + 6W	Ø40 x 56	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver, up and down light




4135ZW



3686ST



3685ST



3686W



3685W



Flady

Article	Electrification	L x W x H	Extra information
3685	30W + 6W	Ø40 x 7	2700 Kelvin, 3500 Lumen, CRI90, dimmable driver, up and down light
3686	40W + 8W	Ø50 x 7	2700 Kelvin, 4600 Lumen, CRI90, dimmable driver, up and down light



3686GO




3686ZW



Sparkled light

Article	Electrification	L x W x H	Extra information
7268	E27	42 x 125-165 x 180-210	cable switch on/off
K1001		Ø45 x 40 x 28	
K1066		Ø50 x 20	silk hood
K10610		Ø38 x 24	
K10942		Ø60 x 22,5	
K2000		Ø60 x 25	
K2002		Ø60 x 25	



NEWCOLOR





4185W = 7268W + K10942S



3602ZW


3809ZW = 3602ZW + K10942S



7268W

Sparkled light


Article	Electrification	L x W x H	Extra information
3602ZW	E27	135 x Ø15	
7268W	E27	45 x 130-210 x 210-240	cable switch on/off
K10942		Ø60 x 25	silk hood




7508ZW = 7268ZW + K2001HS

9681ST = 7268ST + K1066NS





4129ZW



4144ZW = 4129ZW+K2002BS



4145ZW = 4129ZW+K2003BS



4146ZW = 4129ZW+K2004BS



4147ZW = 4129ZW+K2006BS

4143ZW = 4128ZW+K2006BS




4128ZW



Bloeba

Article	Electrification	L x W x H	Extra information
4128ZW	E27	Ø9 x 15	cable switch on/off
4129ZW	E27	Ø10 x 8	
K2002BS		Ø60 x 25	
K2003BS		Ø50 x 21	
K2004BS		Ø40 x 17	
K2006BS		Ø20 x 12	



Bloeba

Article	Electrification	L x W x H	Extra information
4142ZW	E27	70 -140 x 4 x 45	cable switch on/off
K1068	E27	Ø40 x 20	
K2004	E27	Ø40 x 17	



POPULARPRODUCT



4159ZW = 4141ZW+K2003BS



4161ZW = 4141ZW+K1068SS



4162ZW = 4141ZW+K10682S



4163ZW = 4141ZW+K1068RS



4164ZW = 4141ZW+K1068QS



4165ZW = 4141ZW+K1068VS



4166ZW = 4141ZW+K1068JS



4167ZW = 4141ZW+K1068GS



4168ZW = 4141ZW+K1068KS




4169ZW = 4141ZW+K1068ZS



4170ZW = 4141ZW+K1068BS



4171ZW = 4141ZW+K1068CS




4141ZW

Bloeba

Article	Electrification	L x W x H	Extra information
4141ZW	E27	35 x 30-66 x 150-165	cable switch on/off
K1068	E27	Ø40 x 20	
K2003	E27	Ø50 x 21	





Flinter

Article	Electrification	L x W x H
3329	E27	Ø50 x 25-165

NEW DESIGN

4192ZW



4191ZW



4193ZW



Sable

Article	Electrification	L x W x H
4191ZW	E27	Ø45 x 36-150
4192ZW	E27	Ø55 x 41-150
4193ZW	E27	Ø60 x 30-150



4124CR



4122CR



4123CR



Sable

Article	Electrification	L x W x H
4122CR	E27	Ø25 x 40-150
4123CR	E27	Ø28 x 40-150
4124CR	E27	Ø30 x 40-150



4110ZW



4109ZW



4111ZW



4112ZW

Preto

Article	Electrification	L x W x H	Extra information
4109ZW	GU10	16 x 10 x 18	excluding light source
4110ZW	2 x GU10	41 x 16 x 18	excluding light source
4111ZW	GU10	23 x 15 x 40	cord switch, excluding light source
4112ZW	2 x GU10	35 x 35 x 161	floor switch, excluding light source



Frisk

Article	Electrification	L x W x H
7696CR	E27	Ø50 x 60-210



Zig-Zag

Article	Electrification	L x W x H	Extra information
4218ZW	E27	70 x 40 x 173	cable switch on/off
K1066		Ø50 x 20	
K10942S		Ø60 x 22,5	silk hood
K2003BS		Ø50 x 21	
K2010		Ø48 x 19	



4237ZW = 4218ZW+K1066SS




4238ZW = 4218ZW+K1066BS



4239ZW = 4218ZW+K1066CS



4240ZW = 4218ZW+K1066GS



4241ZW = 4218ZW+K1066KS



4242ZW = 4218ZW+K1066NS



4243ZW = 4218ZW+K1066PS




4244ZW = 4218ZW+K1066QS



4245ZW = 4218ZW+K1066RS



4246ZW = 4218ZW+K1066VS



4247ZW = 4218ZW+K1066YS



4248ZW = 4218ZW+K1066ZS



4249ZW = 4218ZW+K10942S



4250ZW = 4218ZW+K2003BS




4253ZW = 4218ZW+ K2010IS



4254ZW = 4218ZW+K2010RS



4255ZW = 4218ZW+K2010SS



4218ZW



4256ZW = 4219ZW+K10012S



4257ZW = 4219ZW+K1001QS



4258ZW = 4219ZW+K1001RS



4259ZW = 4219ZW+K10610S



4260ZW = 4219ZW+K10662S



4261ZW = 4219ZW+K1066BS



4262ZW = 4219ZW+K1066CS



4263ZW = 4219ZW+K1066GS



4264ZW = 4219ZW+K1066KS



4265ZW = 4219ZW+K1066NS



4266ZW = 4219ZW+K1066PS




4267ZW = 4219ZW+K1066QS



4268ZW = 4219ZW+K1066RS



4269ZW = 4219ZW+K1066VS



4270ZW = 4219ZW+K1066YS



4271ZW = 4219ZW+K1066ZS



4272ZW = 4219ZW+K10942S




4273ZW = 4219ZW+K2000HS



4274ZW = 4219ZW+K2001HS




4275ZW = 4219ZW+K2002BS



Curve

Article	Electrification	L x W x H	Extra information
4219ZW	E27	48 x 120-150 x 210	cable switch on/off
K1001		Ø45 x 28	
K10610S		Ø38 x 24	
K1066		Ø50 x 20	
K10942S		Ø60 x 22,5	silk hood
K2000HS		Ø60 x 25	
K2001HS		Ø60 x 25	
K2002BS		Ø60 x 25	




4206ZW



Circolare

Article	Electrification	L x W x H	Extra information
4206ZW	33W	Ø58 x 50-130	2700 Kelvin, 3300 Lumen, dimmable driver
4207ZW	26W	Ø38 x 7	2700 Kelvin, 2600 Lumen, dimmable driver



4207ZW



Tenebris

Article	Electrification	L x W x H	Extra information
4209ZW	2 x E14	33 x 12 x 22	
4210ZW	3 x E14	56 x 12 x 22	
4211ZW	4 x E14	73 x 12 x 22	
I15459S		Ø15 x 10	

NEW DESIGN



4209ZW



I15459S



4210ZW



4211ZW



I15459S



4208ZW



4212ZW



4213ZW



4214ZW

Tenebris

Article	Electrification	L x W x H	Extra information
4208ZW	E14	12 x 12 x 16	ceiling and wall lamp
4212ZW	E14	Ø15 x 39	cable swith on/off
4213ZW	2 x E14	Ø28 x 150	cable swith on/off
4214ZW	5 x E14	80 x 30 x 194	rotary switch on/off
I15459S		Ø15 x 10	



POPULAR PRODUCT

4117ZW


Oeroe

Article	Electrification	L x W x H	Extra information
4113ZW	E14	10 x 19 x 14	
4114ZW	2 x E14	35 x 10 x 19	
4115ZW	3 x E14	57 x 10 x 19	
4116ZW	E14	14 x 10 x 38	cable switch on/off
4117ZW	2 x E14	Ø35 x 151	cable switch on/off

MEXLITE



4115ZW



4114ZW



4113ZW



4116ZW



POPULAR PRODUCT

4121ZW



4119ZW



4118ZW



4120ZW



MEXLITE

Prato

Article	Electrification	L x W x H	Extra information
4118ZW	E14	15 x 20 x 15	
4119ZW	2 x E14	15 x 40 x 20	
4120ZW	E14	15 x 24 x 45	cable switch on/off
4121ZW	2 x E14	15 x 40 x 151	cable switch on/off



Eden

Article	Electrification	L x W x H
7704CR	E27	Ø42 x 45-200



MEXLITE



7704CR

POPULAR PRODUCT



7704RO



7704ZW



7704BL

2674W



2673W



NEW COLOR

POPULAR PRODUCT



2673ZW



2674ZW




Fez

Article	Electrification	L x W x H	Extra information
2673	8W	Ø8 x 8	2700 Kelvin, 700 Lumen, dimmable driver
2674	2 x 8W	16 x 8 x 8	2700 Kelvin, 2 x 700 Lumen, dimmable driver

NEW DESIGN



POPULAR PRODUCT



MEXLITE



Volcan

Article	Electrification	L x W x H	Extra information
4187	E14 25W	Ø9 x 35	cable switch on/off, including light source
4188	E14 25W	Ø14 x 37	cable switch on/off, including light source
3116	E14 25W	Ø9 x 35	cable switch on/off, including light source
3117	E14 25W	Ø14 x 37	cable switch on/off, including light source



4158ZW = 3843ZW+ K2004BS

4157ZW = 3842ZW+ K2003BS

4184ZW = 3602ZW+2002BS



4148ZW = 3821ZW+ K2006BS



4149ZW = 7268ZW+ K2002BS



4151 ZW = 1481ZW + K2004BS



4152ZW = 3602ZW + K2003BS

Shades

Article	Electrification	L x W x H
K2002BS		Ø60 x 25
K2003BS		Ø50 x 21
K2004BS		Ø40 x 17
K2006BS		Ø20 x 12



4153ZW = 2574ZW+ K2003BS



4154ZW = 3404ZW + K2004BS



4155ZW = 3405ZW + K2004BS



4156ZW = 3409ZW + K2003BS



Steinhauer Lighting

Laan van de Ram 40,
7324 BV Apeldoorn
The Netherlands.

Phone: +31 (0)55 582 28 58

info@steinhauer.nl

www.steihauer.nl